





8 SX
12 SE
14 WALL MOUNT
16 PANEL MOUNT
20 WIRE MANAGEMENT



Our height adjustable tables are created on the Danish design principles of functionality, simplicity, and over 50 years of craftsmanship. Offering unlimited potential in office planning, our S Collection offers an ergonomic solution for your work environment. Hidden but flexible crossbar options allow for ultimate flexibility through field adjustments, and base-only applications can retrofit new or existing workstations. The wide range of sizes and configurations, in electric and non-electric options, allow for a customizable design.



6



7



SX

Height Range: 22.2" - 48.7"*

Speed: 1.5" Per Second

2-Leg Frame Only Weight Capacity: 350 Lbs

3-Leg Frame Only Weight Capacity: 525 Lbs

Max Power Draw: 120 V, 60 Hz, 5 A

Standby Power: 0.1W

SX Worksurface Angle: Rectilinear, 90°

SXV Worksurface Angle: 120°

Adjustability: Enhanced Electric

Special Features: Soft Stop, Premium Collision Sensor

Motor & Parts Warranty: 5 years

Craftsmanship Warranty: Lifetime

Qualifications: SX Meets ANSI/BIFMA Standards, ETL listed to UL 962

**Including 1/8" worksurface.*





SE

Height Range: 27.1" - 45.6"*

Speed: 1.5" Per Second

2-Leg Frame Only Weight Capacity: 350 Lbs

3-Leg Frame Only Weight Capacity: 525 Lbs

Max Power Draw: 120 V, 60 Hz, 5 A

Standby Power: 0.1W

SE Worksurface Angle: Rectilinear, 90°

SEV Worksurface Angle: 120°

Adjustability: Electric Control

Special Features: Standard Collision Sensor

Motor & Parts Warranty: 5 years

Craftsmanship Warranty: Lifetime

Qualifications: ETL listed to UL 962

**Including 1 1/8" worksurface.*





WALL MOUNTED

SX2 Height Range: 25.2" - 51.7"*

SE2 Height Range: 30.1" - 48.6"*

Speed: 1.5" Per Second

Frame Only Weight Capacity: 250 Lbs

Max Power Draw: 120 V, 60 Hz, 5 A

Standby Power: 0.1W

Worksurface Angle: Rectilinear

SX2 Adjustability: Enhanced Electric Control

SE2 Adjustability: Electric Control

Special Features: Standard (SE) and Premium (SX2) Collision Sensor

Motor & Parts Warranty: 5 years

Craftsmanship Warranty: Lifetime

**Including 1 1/8" worksurface and placed 3" above the floor.*





PANEL INTEGRATION

The SiS panel integration solution is a customized approach designed to create a seamless union between the S Collection and panel systems. Available for new systems as well as pre-installed units. Working with existing panels presents a cost-efficient option and reduces waste for a more environmentally friendly approach. Brackets offer a safe locking solution into the panel system by staying free from pinch points and not interfering with existing furniture.

Panel integration creates a clean and open space below the surface by allowing for smaller, 10", feet to be used in place of larger feet. This recessed frame design is perfect for adding a storage pedestal or CPU.



WIRE MANAGEMENT

THE PREMIUM WIRE MANAGEMENT TRAY

Neatly secure cables and power within a simple and elegant form. With a hinged design and spring closure latches, accessibility is easy and quick. Within the tray, integrated hook & loop wraps help maintain cables and power strips in place. Can be suited with tables ranging from 60" - 72" wide.

THE MESH WIRE MANAGEMENT TRAY

Manage and organize the mess of every day wires. Its design is exclusive to the tables of the S Collection and serves a dual purpose. In its tear drop shape, the Mesh Wire Tray functions simply as an organizer, maintaining wires in place through the use of seven hook & loop wraps. In its lower position, a modesty panel is created without compromising wire maintenance. Can be suited with tables ranging from 40" - 72" wide.

THE VERTICAL WIRE MANAGEMENT SYSTEM

Consisting of a metal trough and black plastic chain, its flexible design manages wires on a vertical plane through a BIFMA required range. The main unit attaches to the leg with magnets, allowing for flexibility of mounting and reconfiguration.

THE FLEX WIRE MANAGEMENT TRAY

Available in 3 sizes: 22.4", 43.7", and 57.5". Its flexible design and thin steel construction allow for high flexibility in mounting and configuration. Pop off sections along the surface allow users to bend the form and use in corner applications.







Corporate Office 55 Wentworth Avenue, Londonderry, NH 03053 SISERGO.COM 603.432.4495

World Headquarters Ellehaven 6, 5900 Rudkøbing, Denmark

Chicago Showroom Merchandise Mart Plaza, Showroom #1169 - 11th Floor, Chicago, IL 60654